STATEMENT OF ORDERS PLACED BY THE STORES PURCHASE COMMITTEE, GOVERNMENT OF MYSORE, BANGALORE, BOTH IN INDIA AND FOREIGN COUNTRIES DURING THE WEEK ENDING SATURDAY THE 30TH SEPTEMBER 1939.

| Indent & Enquiry No. | Description of material | Quantity | Name of the Firm | Value of the order |
|---|---|---|---|---|
| *Local* | | | Messrs.— | Rs. a. p. |
| 5079 | Road Roller, Diesel—"Ammann" weighing 5½ tons empty complete with all standard equipment. | One | Turner Hoare & Co., Ltd., Bombay. | 7,950 0 0 f.o.r., Bidadi |
| 3432 | | | | |
| 5084 | Industrial Tractor—McCormic-Deering, with pneumatic tyres 5.5″ × 20″ front and 40″ × 8″ single rear. | One | Volkart Brothers, Madras .. | 4,330 0 0 f.o.r., Bangalore |
| 3530 | Tractor Mower, power driven with attachments, with 7 ft. cutter bar. | One | Do .. | 490 0 0 do |
| | Road Maintainer—Adams No. 62, the grader to be executed with hand control for two men control, with operator's seat on maintainer, the grader to be equipped with 5.5″ × 20″ pneumatic tyres and plain tubes. | One | Do .. .. | 5,180 0 0 do |
| | Rollers—Iron standard six ton triple water ballast. | One | Do .. .. | 1,125 0 0 f.o.r. Howrah |
| 5104 | Pencil carbon, Demy—one side blue —Kores No. 5011. | 40 Rms. | Gopalan & Co., Bangalore City | 24 0 0 a ream, f.o.r., Mysore on R.M.C. rates. |
| 3553 | | | | |
| 5105 | Axle oil, Texaco No. 671 for carriage, wagons, locomotives, conforming to I.R.S. specification No. 0.12—28. | 100 tons | Caltex (India) Ltd., Madras .. | 164 15 9 a ton, f.o.r., Mysore South, based on R.M.C. rates. |
| 3549 | | | | |
| | Cylinder Oil, saturated steam, Texaco No. 5629, oil conforming to I.R.S. specification No. O. 8-28, for locomotives. | 3 tons | Do do .. | 190 6 6 do |
| | Grease for lubricating big ends of connecting rods of steam locomotives in sticks 6″ × ½″ wrapped in paper. | 15 cwts. | Baldwins Locomotive Works, Calcutta. | 23 0 0 a cwt., do |
| | Cylinder oil, superheated steam S.L.L. sigma No. 2 conforming to I.R.S. specification No. 0.9-28. | 15 tons | Silvertown Lubricants (India), Limited, Madras. | 214 8 0 a ton do |
| | Spindle oil, S.L.L. spindle oil, medium, conforming to I.R.S. specification No. 0.1-28. | 30 cwts. | Do do .. | 7 10 0 a cwt. do |
| | Castor Oil substitute B.C.C. 411 .. | 8 tons | Burmah-Shell Oil Storage and Distributing Co. of India, Ltd., Madras. | 165 8 0 a ton do |
| | Engine cleaning oil B.C.C. 40 .. | 10 ,, | Do do .. | 157 0 0 a ton do |
| 5115 | Printing Press—Double crown centurion two revolution (maximum size of sheet 22″ × 32½″) without built-up automatic steam feeder and extended pile delivery. | One | Linotype & Machinery, Ltd., Madras. | 13,091 0 0 f.o.r., Madras |
| | Printing Press—Double demy centurette two revolution (maximum size of sheet 24″ × 38″) with built up automatic steam feeder but without extended pile delivery. | Two | Do do .. | 20,246 0 0 each, f.o.r., Madras |
| 5116 | Jute yarn, single ply, 72″ reels .. | 3,000 lbs. | F. Harley & Co., Calcutta .. | 24 0 0 per maund of 82 lbs., f.o.r., Bangalore. |
| 3645 | | | | |
| 5117 | Belting—schieren electric single quality leather of 1½″ × 5 mm. | 400 ft. | The Crompton Engineering Co. (India), Ltd., Madras. | 0 11 2 per ft., f.o.r., Mysore. |
| 3664 | | | | |
| 5118 | Grinding wheels Norton's, 16″ dia. 2″ thick,—1¼″ hole, grain size | Three | Alfred Herbert (India), Ltd., Madras. | 40 9 0 each, f.o.r., Bangalore City. |
| 3667 | 2720 R.5 crys and vit "A" face for foundry use. | | | |
| 5120 | Socks—Grey woollen army pattern of different sizes. | 1,600 pairs | The New Egerton Woollen Mills, Dhariwal. | 0 9 9 a pair, f.o.r., Bangalore City. |
| 5121 | Steel Racks, skeleton type (without sides and back), each measuring | 2 blocks | The Commission & General Agency, Bangalore City. | 2,988 0 0 lot, including delivery and fitting charges at Insurance Office, Bangalore. |
| 3593 | 13′-6″ high × 55′-8″ long × 18″ deep outside, made of 15 sections, jointed together. | | | |
| 5122 | Lorry chassis—Bedford 2½ ton, with front forward engine, single rear | One | The Bangalore Cycle & Motor Co., Bangalore. | 4,025 0 0 less 25 per cent delivered free at Military Stores, Bangalore. |
| 3628 | wheels 20 × 6.00 six ply tyres in front and 32 × 6 ten ply tyres in rear. | | | |
| 5124 | Hydrochloric acid, commercial of specific gravity 1.15 packed in | 10 cwts. | Parry & Co., Bangalore .. | 16 0 0 per case of 56 lbs. f.o.r., Ranipet. |
| 3650 | cases each containing 2 × 28 lbs. | | | |

| Indent & Enquiry No. | Description of material | Quantity | Name of the Firm | Value of the order |
|---|---|---|---|---|
| *Local.* | | | Messrs.— | Rs. a. p. |
| 5125 | Cement, "Chamundi" Brand .. | Rate contract | The General Manager, Mysore Iron & Steel Works, Bhadravati. | 45 0 0 a ton, f.o.r., any Railway Station. |
| 3592<br>5126 | Chloronator—Patterson standard concentric monometer type. | One | Paterson Engineering Co. (India), Ltd., Calcutta. | 2,150 0 0 f.o.r., Chikmagalur |
| 3554 | Residual chlorine testing set .. | One | Do do .. | 85 0 0 do |
| 5068 | Straw boards—2 lbs. .. | 25 cwts. | The Modern Stationery Mart, Madras. | 17 0 0 per cwt., f.o.r., Bangalore City. |
| *Extn.*<br>4935 | Extension bells, 2,500 ohms. "Chicago" code No. 237. | Nine | Eastern Electric & Engineering Co., Bombay. | 25 0 0 each, f.o.r., Belagola. |
| *Extn.*<br>5128 | Tent—Swiss cottage, square ended pattern, size 16′×16′ double fly, made throughout of 4 folds of cloth in each fly. | One | H. Nozam Din & Sons, Lahore | 590 0 0 f.o.r., Mandya |
| 3483<br>5130 | Hospital Bedsteads, size 6½′ length × 3′ breadth, height of mattress above floor level 24″. | 80 | Kirloskar Bros., Ltd., Bangalore. | 40 0 0 each, f.o.r., Bangalore City. |
| 3485<br>5131 | Dungry turbans, 6 yds. long, 22″ wide, with ⅞″ white border in each side lengthwise, and 18″ black and white mixed border at one end breadthwise. | 75 | M. Krishnasa, Bangalore City .. | 2 5 0 each, f.o.r., Mysore South based on R.M.C. rates. |
| 3606<br>5132 | Steel Rails—second hand, 50 lbs. section, 30 ft. long, dead straight and free from rust and other defects. | 632 | Parry & Co., Ltd., Bangalore | 33 12 0 each, f.o.r., Bangalore. |
| 3629<br>5133 | Pumping set—electric, 2 stage, having 4″ suction and 3″ delivery, capacity 150 gallons p.m. against a total head of 230 ft. coupled to Crompton Parkinson 25 B.H.P. Motor and auto-transformer starter. | One set | M. Ramiah, Bangalore City .. | 2,075 0 0 f.o.r., Chennapatna |
| 3288 | Accessories .. .. | Lot | Do do .. | 325 8 0 do |

STATEMENT OF ORDERS PLACED DURING THE WEEK ENDING SATURDAY THE 7TH OCTOBER 1939.

| | | | | |
|---|---|---|---|---|
| *Local.* | | | Messrs.— | Rs. a. p. |
| 5137 | Khaki Woollen putties, 10 ft. long, 4½″ wide, complete with 70″ woollen tape. | 1,700 pairs | M. Moosa Raza Saheb & Sons, Bangalore City. | 2 14 0 a pair, f.o.r., Mysore. |
| 3621<br>5138 | Travelling crane—Jessop's electric, overhead, suitable for a normal working load of 5 tons over a span of 45 ft. | One | Jessop & Co., Ltd., Calcutta .. | 14,900 0 0 f.o.r., Dum Dum |
| 3432 | Automatic mechanical brake for Hoist mechanism. | One | Do do .. | 850 0 0 do |
| 5139 | Sulphate of alumina .. | 351 tons | Dharamsi Morarjee Chemical Co., Bombay. | 170 0 0 per ton, f.o.r., Bangalore. |
| 3589<br>5140 | Tin ingot, Best penang, conforming to I.S.D. specification No. N-8-29. | 3 tons and 15 lbs. | M. N. Hussen & Co., Bangalore | 1 11 11 per lb., f.o.r., Madras. |
| 3669 | Antifriction metal "ISM" brand manufactured by Messrs. The Indian Standard Metal Co., Bombay, equivalent to Eyre antifriction metal No. 7 and Tandem "C" grade. | 20 cwts. | N. S. Subramanya Iyer, Bangalore City. | 35 0 0 per cwt., f.o.r., Mysore South, based on R.M.C. rates. |
| | Antifriction metal do equivalent to Eyre's antifriction metal Tandem "A" grade. | 20 cwts. | Do do .. | 98 0 0 per cwt. do |
| | Antimony—"Chinese" refined conforming to I.R.S. specification No. N-9-28. | 5 cwts. | M. Gulamally Abdul Hussen & Co., Bombay. | 68 0 0 per cwt., f.o.r., Mysore South. |
| 5141 | Examination table, teakwood, 2½′ × 1¾′×2½′ with 2″ square legs, ⅞″ top. | 170 sets | The Jubilee Saw Mills & Wood Works, Bangalore City. | 6 4 0 a set of 1 table and 1 stool delivered free at different examination centres. |
| 3662 | Examination stool—oblong, teakwood 1½′×1′×1½′ with 2″ square legs and 1″ top. | | | |
| 5142 | Cotton putties, Khaki, 7½′×4″ with tape complete. | 1,630 pairs | Abdul Cureem & Sons, Bangalore City. | 0 15 11 a pair, free delivery at the offices. |
| 3609 | | | | |

| Indent & Enquiry No. | Description of material | Quantity | Name of the Firm | Value of the order |
|---|---|---|---|---|
| *Local.* | | | Messrs.— | Rs. a. p. |
| 5143 | Blankets, saddle, brown standard size 66″×56″ weight 5 lbs. whipped ends. | 800 Nos. | The Bangalore Woollen, Cotton and Silk Mills, Ltd., Bangalore. | 4 6 0 each, free delivery at the Military Stores. |
| 3550 | Blankets, Sowar, 7½′×5′ weight approximately 5 lbs. | 1,400 Nos. | Abdul Cureem & Sons, Bangalore. | 4 7 3 each, do |
| | Khaki webbing, 2″ wide | 5,000 Yds. | M. Moosa Raza Saheb & Sons, Bangalore City. | 0 1 10 a yd. do |
| | Water bottles, aluminium | 150 Nos. | Do do | 1 15 0 each do |
| | Curry combs with seven bars and web back. | 600 „ | Do do | 0 12 0 each do |
| | Horse shoe nails, No. 3 & 4 in packets of 5 lbs. | 2,500 lbs. | Do do | 2 15 6 a packet do |
| | Hand clipping machines, Martins | 20 Nos. | Do do | 9 8 0 each do |
| | Canvas for nose bags, 36″ wide "Key" brand. | 1,000 Yds. | Hajee Saduddin Saheb & Sons, Bangalore City. | 0 8 6 a yard, do |
| | Horse Jhods, canvas with blanket lining. | 500 Nos. | Do do | 7 10 0 each do |
| | Buckets, small zinc | 500 „ | Do do | 0 6 0 each do |
| | Zinc troughs, feeding, top 17″×17″ bottom 12″×12″ depth 5½″. | 600 „ | Do do | 1 8 0 each do |
| | Brushes, horse, saddle mark | 600 „ | Do do | 1 0 0 each do |
| | Cotton ropes | 3,000 lbs. | Do do | 0 6 0 a lb., white, do |
| 5144 | *Clocks and Time-pieces.*— | | | 0 8 0 a lb., coloured. |
| 3656 | English Wall clock, 12″ dial striking hours and half-hours. | Rate contract | P. Orr & Sons, Madras | 45 0 0 each, f.o.r., any Railway Station in the State. |
| | Do non-striking. | do | Do do | 40 0 0 do |
| | JAZ West End time-piece with alarm | do | A. R. Khaleel & Sons, Bangalore City. | 8 14 0 do |
| | BIG BEN, repeat time-piece | do | Do do | 11 0 0 do |
| | Japan make Drop Octagon superior quality clocks, mahogony colour —8″ dial. | do | S. V. Chokkanna & Sons, Mysore. | 9 8 0 do |
| | Do 10″ dial | do | Do do | 11 0 0 do |
| | Do 12″ dial | do | Do do | 14 12 0 do |
| | Favre Leuba & Co.'s 3″ dial time-piece nickle plated continuous alarm, John Barrel. | do | Do do | 4 15 0 do |
| | Seth Thomas drop octagon clock, striking hours and half-hours 10″ dial. | do | Gani & Sons, Madras | 48 0 0 do |
| | Do 12″ dial. | do | Do do | 54 0 0 do |
| 5145 | Lump alum | 2 tons | Imperial Chemical Industries (India), Ltd., Madras. | 7 4 0 per cwt., f.o.r., Madras. |
| 3661 5146 | Oil Engine—Crossley Hortizontal wick starting 2 stroke, size TSH4, arranged for Hopper cooling and capable of developing 14 normal BHP when running at a speed of 600 r.p.m. | Two | M. Ramiah, Bangalore City | 1,825 0 0 each, f.o.r., Madras |
| 3383 5060 | Refrigerating cooling Unit for dark room with developing tank complete with insulated ice chest and necessary arrangement for circulating water. | One | Victor X-Ray Corporation (India), Limited, Bangalore City. | 1,100 0 0 f.o.r., Davangere |
| *Extn.* 5147 | Glycerine, pure S.G. 1.260 in 56 lbs. drums. | 2 cwts. | Imperial Chemical Industries (India), Ltd., Madras. | 57 12 0 per cwt., f.o.r., Madras. |
| 3670 *Foreign.* 2909 | Cable, galvanised high strength steel, consisting of 7 strands of steel wire, each of 0.0915″ dia. with an overall diameter of approximately 9/32″. | 246 Miles | United States Steel Products Co., New York. | $ 9.00 per 1,000 ft., f.o.b., New York. |
| *Extn.* 2928 | High tension Metering panels and equipment required for controlling the power supply. | Two | Volkart Brothers, Madras | Rs. 7,824 f.o.r., Bangalore City |
| 2847 | Constant current Transformers, Pole type, out-door type R.O. 4400-4600-2200-2300-volts, 5.5 amps. secondary, 25 cycles, single phase, capacity 5 K.W. | Four | International General Electric Co. (India), Ltd., Bangalore. | $ 487.26 each, c.i.f., Madras |
| *Extn.* | Do but of capacity | Two | Do do | $ 567.40 each, do |

T. RANGASWAMI,
*Secretary,*
*Stores Purchase Committee.*